


EASYMOVE  
HAND CART PUMP



# CAN BE USED FLEXIBLY

## THE MOBILE EASYMOVE PUMP



*The new EasyMove rotary lobe pump convinces with a high flow rate, easy handling and a high-quality processing.*

This very compact hand cart pump is configured and built individually for the specific application. Liquid as well as viscous or abrasive pumped media can be conveyed effortlessly, and even solids and chemically aggressive substances pose no problem.

Pump type	Max. flow rate	Max. pressure
BLUEline AL 25	6 m³/h [26 gpm]	up to 6 bar [87 psi]
BLUEline AL 50	13 m³/h [57 gpm]	up to 6 bar [87 psi]
BLUEline AL 75	20 m³/h [88 gpm]	up to 4 bar [58 psi]
BLUEline PL 100	25 m³/h [110 gpm]	up to 6 bar [87 psi]
BLUEline PL 200	52 m³/h [229 gpm]	up to 6 bar [87 psi]
BLUEline PL 300	78 m³/h [343 gpm]	up to 6 bar [87 psi]

### CONSTRUCTION AND FUNCTION

- The rotary lobe pump**  
The powerful rotary lobe pump is designed and manufactured individually to suit your application.
- Direct drive coupling**  
The electric motor is coupled directly to the cylindrical pump shaft by means of a hollow shaft.
- The motor**  
The pump is driven by an electrical parallel shaft helical gear motor. Upon request, the motor can be equipped with a frequency converter.
- The chassis**  
The pump is installed on a chassis made of stainless steel. Thanks to the four solid-rubber tires the pump is very easy to move. By slightly pressing down the pushing device [1], the pump can be steered very easily [6].
- The crane lugs**  
The crane lugs facilitate easy loading and unloading of the pump.





## MAXIMUM EASE OF MAINTENANCE

Thanks to the low-maintenance design of the pump, access to all wetted parts, such as rotors or mechanical seals, is possible through the quick-release cover. This allows quick and easy maintenance at the application site of the pump.



## APPLICATIONS

- Transfer operations
- Drum filling
- Filtration
- Filling operations
- etc.

## TAILORED SOLUTIONS

Our mobile pumps are supplied from a single source. Börger designs and produces the chassis, the pump technology and the control technology themselves – with perfectly matched components. Whether with integrated electronic flow meter, operated via a remote control unit, with overpressure protection, or operation via a frequency converter, we configure your pump unit exactly to your specification.



## EASYMOVE AT A GLANCE

- + Gentle, low-pulsation pumping
- + Thanks to very compact, space-saving design, use in narrow passages possible as well
- + Broad range of materials, all component parts are configured individually for your application
- + With frequency converter for flexible flow rates as an option
- + Low life-cycle costs
- + ATEX-compliant design upon request

## CERTIFIED TECHNOLOGY

- FDA certified
- 1935/2004/EC (rotary lobe pumps suitable for foodstuff)
- Suitable for pumping spirits according to the Bureau National Interprofessionnel du Cognac (BNIC)



**Boerger LLC**  
Chanhassen, MN 55317, USA  
Phone +1 612 435 7300  
[america@boerger.com](mailto:america@boerger.com)

**Börger GmbH**  
Borken-Weseke, Germany  
[info@boerger.de](mailto:info@boerger.de)

**Börger Benelux**  
Ootmarsum, Netherlands  
[info@boerger-pumps.nl](mailto:info@boerger-pumps.nl)

**Börger France Sarl**  
Wittersheim, France  
[info@borger.fr](mailto:info@borger.fr)

**Boerger Polska Sp. z o.o.**  
Gliwice, Poland  
[info@boerger.pl](mailto:info@boerger.pl)

**Börger UK Ltd.**  
Staffordshire, United Kingdom  
[uk@boerger.com](mailto:uk@boerger.com)

**Boerger Pumps Asia Pte Ltd**  
Singapore  
[asia@boerger.com](mailto:asia@boerger.com)

**Boerger Pumps Asia Pte Ltd**  
Gurugram, Haryana, India  
[india@boerger.com](mailto:india@boerger.com)

**Boerger Pumps (Shanghai) Co., Ltd.**  
Pudong, Shanghai, China  
[shanghai@boerger.com](mailto:shanghai@boerger.com)

**000 Börger Pumps**  
Moscow, Russia  
[russia@boerger.com](mailto:russia@boerger.com)

**Boerger Middle East FZCO**  
Dubai, United Arab Emirates  
[info@boerger.ae](mailto:info@boerger.ae)